

CS411-Visual Programming

BY ARSLAN ARSHAD (ZAIN NASAR)

Solved MCOS

From Midterm and Final term Papers and also from daily based quizzes(1 to 45 lectures)

MAR 18.2015

BS110401050

BS110401050@vu.edu.pk Arslan.arshad01@gmail.com

AKMP01



In the Name of Allah, the Most Gracious, the Most Merciful









CS101 - Introduction to Computing VU Group for All subjects





CS411 QUIZ # 1 2014 and 2015 From (1 to 10) Lectures

Que	stion # 1:	A class can inherit from	class/classes.
0	Two		
0	Single	Click here for more of	<mark>letail</mark>
0	Three		
0	Multiple		
	stion # 2: o of	During the program execut	ion, program can be stopped with the
0	Attributes		
0	Compiler		
0	Exception	Handling	
0	Breakpo	ints Page	<mark>#47</mark>
Que		Types not defined in any r namespace.	amespace are said reside in the
0	Local		
0	Static		
0	Virtual		
0	Global	Click here for more	<u>detail</u>
_	بت بہتر ہ	ر تنہائی سے نیک صد	بری صحبت سے تنہائی بہتر ہے او

Question # 4: Indexers are similar to properties, but are accessed via a/an rather than a property name.

- Index Argument Click here for more detail
- Reference
- Pointer
- Integer Argument

Question # 5: At the time an event is fired, the _____ methods will be invoked.

- Registered <u>Click here for more detail</u>
- Public
- Static
- Unregistered

Question # 6: Which of the following does NOT include in event processing operations?

- Deleting Events
- Reading Events
- Terminating EventsPage # 8
- Transforming Events

ہر چیز کی ایک پہچان ہوتی ہے اور عقلمند کی پہچان غوروفکر کرنا ہے اور غوروفکر کی پہچان خاموشی ہے

Question # 7: The result of Exception can bring in the program.
o Reliability
o Stability
Inconsistency (Page # 40)
o Consistency
Question # 8: Cool stands for
o Class Oriented Object Language
Consumer Oriented Object Language
 C-like Object Oriented Language Page # 13
C++-like Object Oriented Language
The initial name was "Cool", which stood for "C-like Object Oriented Language"
Question # 9: Graphical user interfaces and the event-driven model is not applied on which of the following?
 Web Application
 Console Application Page # 5
o Mobile Application
Desktop Application
Graphical user interfaces and the event-driven model as applied to desktop, web, and mobile applications.

Que	estion # 13:	methods do not have names.
C	Attribute	
C	Anonymous	P <mark>age # 53</mark>
O	None of given	
С	Non-Anonymous	
Anor	ymous method is a method without a	name.
Que	estion # 14:	_ is an entity that receives events from the system.
0	Event Producer	
0	Event Consumer P	P <mark>age # 14</mark>
0	Event Channel	
0	Event Generator	
	NT CONSUMER: An event consume is from the system.	r is an entity at the edge of an event pro-cessing system that receives
Que	estion # 15: An event is	a list of
O	constants	
С	variable	
O	pointers	
C	Delegates	
	1 1/11/19/20 511	بری صحبت سے تنہائی بہتر ہے اور تنہائی س

Question # 16: ______ is an occurrence within a particular system or domain.


- Function
- Event Page # 10
- Information
- Transaction

So what is an event. Its an occurrence within a particular system or domain.

Question # 17: Which of the following is an occurrence within a particular system or domain?

- Object
- Event Page # 10
- Result
- Message

So what is an event. Its an occurrence within a particular system or domain.




Question # 18: Which statement is true?

- A "catch" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
- A "finally" block executes only, when an exception is thrown and when the "try" block runs to completion.
- A "finally" block may or may not executes whether or not an exception is thrown and whether or not the "try" block runs to completion.
- O A "finally" block always executes whether or not an exception is thrown and whether or not the "try" block runs to completion. click here for more detail

Question # 19: Clean room design is also called______.

- Clear Room Design
- Wall Technique Design
- Chinese Wall Technique Page # 17
- French Wall Technique

Clean room design (also known as the Chinese wall technique)



Overting # 20. Class was a decimal to weeful as a defense assistant
Question # 20: Clean room design is useful as a defense against
o Copyright
Trade secret infringement
 Copyright and trade secret infringement (Page # 17)
 None of the given options
Clean room design is useful as a defense against copyright and trade secret infringement because it
Relies on independent invention.
Question # 21: Which of the following is an entity that introduces event into the system?
Event Channel
o Event Stream
o Event Consumer
Event Producer Page#14
EVENT PRODUCER: An event producer is an entity at the edge of an event process- ing system that introduces
events into the system.
Question # 22: Anonymous methods the code size.
o Double
o Expand
 Reduce Page#46
o Extend
Anonymous methods result in much less code

0.14		stion # 22. Which of the following is built from request response?
Que	25	stion # 23: Which of the following is built from request-response?
C)	Event-processing Architecture (EDA)
C)	Service-driven Architecture (SDA)
C)	Service-oriented Architecture (SOA) Page # 13
C)	Event-based Architecture (EBA)
Serv	ic	e-oriented architecture (SOA) is built from request-response.
_		stion # 24: The System.Console is a which enables us to do sole Input and Output.
C)	Structure
C)	Class (Page#14)
C)	Namespace
C)	Library
Que	25	stion # 25: events may or may not relate to an actual occurrence.
C)	Observed Events
C)	Deducted Events
C		Probabilistic Events (Page#10)
C)	None of the above
		bilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a ng transaction.

Question # 26: Which of the following events may or may not relate to an actual occurrence?

Probabilistic Events (Page#10)

- Actual Events
- Real Events
- Expected Events


Probabilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a banking transaction.

Question # 27: _____ events may or may not relate to an actual occurrence

Probabilisticpage # 10

- Event properties
- Layer
- o Properties

Probabilistic events may or may not relate to an actual occurrence e.g. a fraud detection event on a banking transaction.



Ques	tion # 28: method reads the whole document in memory.
	XmlDocument Page # 48
	o XmlLine
	o XPath
	o XmlReader
	are two methods to read XML document. Using XmlDocument and XmlReader.
XmID	ocuments reads entire document in memory
Ques	tion # 29: Event-based programming is also known as:
0	Service-oriented architecture (SOA)
0	Event-driven Architecture (EDA) Page # 13
0	Service-driven Architecture (SDA)
0	Event-based Architecture (EBA)
Event-	based programming, also called event-driven architecture (EDA)
	tion # 30: Wait for a single event isoperation.
0	Waiting
0	Waste
0	Idle
0	Blocking Page # 10
Wait	for a single event is blocking operation.

Question # 31: The Main method returns a non-zero value which indicates the .

- Source of Program
- Error in Program <u>click here for more detail</u>
- Termination of Program
- Exception in Program
















CS411 QUIZ # 2 2014 and 2015 From (11 to 21) Lectures

Question # 32: System.Windows.Controls.Button b = new System.Windows.Controls.Button(); b.Content = "OK"; For the above code (written in C#) the corresponding XAML code will be:

- O <Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/> Page # 71
- Sutton xmlns= "OK" Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation"/>
- O <Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/>
- Sutton xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/>

Question # 33: If we want to move an object in the 2-D x-y coordinate system then which transform class will be used?

Translate Transform

Page # 89

- Skew Transform
- Skew Transform
- Rotate Transform



Question # 34: If we want to scale an object in the 2-D x-y coordinate system then which transform class will be used?

- Rotate Transform
- Matrix Transform
- Translate TransformPage # 89
- Skew Transform

Question # 35: Which of the following is/are not derived from "Control" class?

- ListBox
- StatusBar
- Both of above
- None of the given (Page#73)

Question # 36: Which of the following is/are not derived from "Control" class?

- ListBox
- StatusBar
- Both of above
- None of the given (Page#73)

جھوٹ انسان اور ایمان دونوں کا دشمن ہے

Quest	tion # 37: Which of the following is/are not derived from "Control" class?
o l	ListBox
0	StatusBar
0	None of the given (Page#73)
o l	Button
Quest	tion # 38: WPF4 was released in
0 2	2012
0	2010 Click here for detail
0 7	2005
0	2003
_	tion # 39: Suppose we want to restrict the user to don't decrease the t of a WPF element from a specific amount then which property will be
o I	HeightMinimum
o l	MinimumHeight
<u> </u>	MinHeight Page # 83
o I	None of the given

Question # 40: Which property will be used if we want to restrict the user to don't increase the width of a WPF element from a specific amount?

MaxWidth

Page # 91

- MaximumWidth
- WidthMaximum
- None of given options

Question # 41: XAML specification defines rules that map ".NET" namespaces, types, properties, and events into_______. I) XML namespaces II) XML elements III) XML Attributes


- o Only
- o Only

(I), (II) and (III) only

Page # 71

o Only

XAML specification defines rules that map .NET namespaces, types, properties, and events into XML namespaces, elements, and attributes. Lets see XAML and equivalent C#.



Que	25	stion # 42: Dependency properties are represented by
0		System.Windows.DependencyProperty (Page 77)
0)	System.Windows.Dependency.Property
0)	System.Windows.Dependency
0)	System.Windows.Property.Dependency
		dency properties are represented by System. Windows. Dependency Property. By convention, public static and ty suffix are used.
Que clas		stion # 43: Extension methods can only be defined in
0	,	Dynamic class
0	,	Normal class
0	,	String class
0)	Static class click here for more detail
		stion # 44: Extension methods access the private data bers of the class in which they are extended.
0	,	May
0	,	Cannot <u>click here for more detail</u>
0)	May not
0)	Can

	tion # 45: allows to keep the user interface description and mentation separate.
0	GDI
0	WPF (Page 69)
0	Avalon
0	Altia
WPF	lows to keep user interface description and implementation separate.
and prop	tion # 46: In context of XAML child element rules, if the child is plain text type converter exists to transform the child into the parent type (and no erties are set on the parent element), treat the child as the input to the type erter and use the output as the
0	Parent object instance Page # 75
0	Interface object instance
0	none
0	Child object instance
	arent element), treat the child as the input to the type converter and use the output as the parent object instance.
÷	جو مخص بیر جواہے کہ اس کی زندگی کا میابی ہے بسر ہوو واسپے با
	سے بعد اس کے دوستوں نے تیک سلوک کرے۔ 111
روق	<mark>حضوت عمر ف</mark>

Question # 47: We use "UIElement" property ClipToBounds= "True" when

- We want area of child element is allowed to cross the boundary of parent
- Parent area also increases on increasing of area of child element
- None of given
- We want area child element don't cross the boundary of parent



Question # 48: BAML is compressed representation of _____.

- CAML:NS
- XAML:NS
- o CAML

BAML is binary application markup language. It just a compressed representation of XAML.

ایماندار کو غصہ دیر سے آتا ہے اور جلدی دور ہو جاتا ہے

Question # 49: AML is compressed representation of CAML:NS Page # 77 O XAML XAML:NS o CAML Question # 50: If we exclude the mechanism of calling the objects through name then: Code will not compile Code will be difficult to debug Code will have errors o Code will become design dependent Question # 51: "viewbox" element use different types of stretching with the help of stretch property. There is/are _____ possible value(s) of stretch. 0 1 4 0 2 。 3 زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Question # 52: BAML stands for:

- binary application map language
- binary application markup linkage

binary application markup language

Page # 77

binary application map linkage

BAML is binary application markup language.

Question # 53: Which is the right syntax to define an interface?

Interface imyinterface

Void methodtoimplement(); Page # 40

- Interface imyinterface {
 Void implement();
 }
- Interface imyinterface
 {
 Void method();
 }
 Interfaces can also be inherited.

زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Question # 54: If we want to place a component at top in "dockpanel" then which one is correct syntax?

- PanelDock="Top"
- Dock="Top"
- o DockPanel.Dock="Top" Page # 101
- DockPanel="Top
- O <Button DockPanel.Dock="Top" Background ="Red">1 (Top)</Button >

Question # 55: Dock panel allows easy docking of elements to an entire side.

- o True Page # 101
- False

Dock panel allows easy docking of elements to an entire side. Dock attached property has left, right, top, bottom values

Question # 56: _____ processing operations include reading, creating, transforming, and deleting events.

- Observed Events
- Common event (Page#10)
- Deducted Events
- Probabilistic Events

Common event processing operations include reading, creating, transforming, and deleting events.

عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ ہے وقوف کہتا ہے کہ میں سب کچھ جانتا ہوں

Question # 57: The ______ in the namespace indicate a hierarchy of nested namespaces.

- Arrows
- Dots <u>click here for more detail</u>
- Semicolon
- Brackets

The dots in the namespace indicate a hierarchy of nested namespaces.

Question # 58: The interface forces each component to expose specific members that will be used in a certain way.

- Public (Page# 40)
- Private
- Both of above
- None of the given

The interface forces each component to expose specific public members that will be used in a certain way.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Question # 59: Static ctor exists to initialize class static members and called only ______.

- Once (Page # 28)
- Twice
- Anytime
- All of the given

Static ctor exists to initialize class static members. Its called only once.

Question # 60: Static ctor exists to initialize class static members and has many parameters.

- o True
- False (Page #28)

Static ctor exists to initialize class static members. Its called only once.

Question # 61: Interfaces define a contract.

- True Page # 40
- False

Interfaces define a contract.

الله کا خوف سب سے بڑی دانائی ہے

Q	ues	stion # 62: Additional XML namespaces (on the root or on children) must be to be used on any identifiers from that namespace.
	0	Given a common prefix
	0	Qualified with "Pre" keyword
	0	Given a distinct prefix Page # 71
	0	Qualified with "Ext" keyword
_		tion # 63: We want the width of button should cover the whole width of StackPanel in then what should be value of HorizontalAlignment property of button?
	0	Parent
	0	Whole
	0	Fill
	0	Stretch (Page#97)
_		tion # 64: The root object element in XAML must specify at least XML namespace s used to qualify itself and any child elements.
	0	one (Page # 71)
	0	two
	0	three
	0	five
Th	e roo	ot object element in XAML must specify at least one XML namespace

عقل مند آدمی اس وقت تک نہیں بولتا جب تک خاموشی نہیں ہو جاتی

Ques	stion # 65: In event-driven architecture (EDA), sends event to
0	Event Consumer, Event Producer
0	Event Producer, Event Consumer (Page#13)
0	Event Handler, Event Producer
0	Event Generator, Event Producer
Ques	stion # 66: Auto-implemented properties do not allow simplified syntax.
0	True
0	False (Page # 35)
<mark>auot-</mark>	o-implemented properties improve the common-case we saw. Here is the same example using implemented properties. Properties have the same idea as getters and setters. They just allow olified syntax.
Ques	stion # 67: The initial name for C# was
	COAL
	COOP
	COAP
0	COOL (Page#17)
	re do the name for C# comes from. The initial name was "Cool", which stood for "C-like Object Oriented uage".
ر ہے	ر چیز کی ایک پہچان ہوتی ہے اور عقلمند کی پہچان غوروفکر کرنا ہے اور غوروفکر کی پہچان خاموشی

Question # 68: Events may live events like in event logs.	
o Inside	
Outside (Page # 13)	
o Both of above	
o None of the given	
Question # 69: If we run the program from within Visual Studio, the console window disappears quickly so we can use to keep screen from going away.	
○ Console.ReadLine() (Page#18)	
o Console.WriteLine()	
o Console.Title	
o Console.Clear	
Question # 70: Types of class members in C# are and	
o static, instance	
o instance, static (Page # 28)	
o public, private	
o static, private	
کسی سے نیکی کرتے وقت برلے کی توقع نه رکوہ کیونکه اپھائی کا برله انسان نہیں الله ریتا ہے	The State of the S

Question # 71: Mapping to the WPF namespaces is				
o Specified at compile time o Hard-coded (Page # 13) o None of the given o Dynamically specified Question # 72: Polymorphism needs the signatures to be the o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush <!-- WhiteBrush--> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush></whitebrush>				
o Hard-coded (Page # 13) o None of the given o Dynamically specified Question # 72: Polymorphism needs the signatures to be the o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush </whitebrush> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush>	Question #	71: Mapping to the WPF	namespaces is	in-side the WPF assemblies.
o None of the given o Dynamically specified Question # 72: Polymorphism needs the signatures to be the o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush <!-- WhiteBrush--> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush></whitebrush>	o	Specified at compile tin	ne	
o Dynamically specified Question # 72: Polymorphism needs the signatures to be the o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush <!-- WhiteBrush--> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush></whitebrush>	0	Hard-coded	(Page # 13)	
Question # 72: Polymorphism needs the signatures to be the o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush <!-- WhiteBrush--> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> None of the given options</brush></whitebrush>	O	None of the given		
o Different o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush <!-- WhiteBrush--> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush></whitebrush>	O	Dynamically specified		
o Same (Page # 29) o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush> o <whitebrush> MyWhiteBrush </whitebrush> o <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) o <brush style="SolidWhite"> o None of the given options</brush>	Question #	72: Polymorphism needs	s the signatures to be th	e
o Alternative o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush>	O	Different		
o None of the given Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush>	0	Same	(Page # 29)	
Question # 73: The code given below is equivalent to <solidcolorbrush>White</solidcolorbrush>	O	Alternative		
<solidcolorbrush>White</solidcolorbrush> <whitebrush> MyWhiteBrush <solidcolorbrush color="White"></solidcolorbrush> (Page # 72) <brush style="SolidWhite"> None of the given options</brush></whitebrush>	O	None of the given		
 SolidColorBrush Color="White"/> (Page # 72) Style= "SolidWhite"> None of the given options 				
 <brush style="SolidWhite"></brush> None of the given options 	C	<whitebrush>MyWhi</whitebrush>	teBrush WhiteBrush</td <td>u></td>	u>
None of the given options	C	<solidcolorbrush co<="" td=""><td>lor="White"/></td><td>Page # 72)</td></solidcolorbrush>	lor="White"/>	Page # 72)
	C	<pre><brush style="SolidW</pre></td><td>Vhite"></brush></pre>		
	C	None of the given optic	ons	
	STAN A	کرار تا	ر زندگی	T
ا جا ہے ہو تواہے دل سے			او ا ہے و	ا جا جا ج
لای تکال دو			تكان دو	

Question	n#7	74: An indexer enables your class to be treated like a/an	
	o	Class	
23	o	Function	
	0	Array (Page # 35)	
	O	Pointer	
Question	n#1	75: Reference types hold a reference to an object in memory.	
	0	True (Page # 38)	
	0	False	
Question	n#7	76: Attributes of a program can be queried at run time through	
	0	Reflection <u>click here for more detail</u>	
	O	Value	
	O	Reference	
	0	Extension	
Question	n#1	77: Object variables are references to the object not the object themsel	lves.
9	O	Original (Page#24)	
	O	Alternative	
		Daine ann	
	0	Primary	
	O	None of the given	

Question #	7	78: Console class can reside in multiple libraries.
C	0	True (Page # 27)
C	O	False
Question # application		79: is built from request-response and it moves away from monolithic .
o		Event-driven architecture (EDA)
O		Service-oriented architecture (SOA) (Page # 13)
o		Both of above
o		None of the given option
Question #	8	80: It is always possible to create an instance of a reference type.
	0	True
C	O	False (Page # 18)
		81: Visual Studio has a snippet called that automatically expands into a f a dependency property, which makes defining one much faster than doing all the typing
O		Propdp (Page # 84)
o		Property extension
o		Dpprop
o		Dependency property
جاتا ہے	9	جو لوگوں کے سامنے فخر کرتا ہے وہ لوگوں کی نظروں سے گر

Question # 82: CLI stands for:
oCommon Language Interface
○Common Language Instruction
○Common Language Infrastructure (Page # 18)
oCommon Language Iteration
Question #83: is said to be stateless if the way it processes one event does not influence the way it processes any subsequent events.
o Event Producer
o Raw Event
 Event Processing (Page#14)
o Event Stream
Question # 84: "FrameworkElement" is the base class that adds support for
 Some common mechanisms for Windows-based controls
o Data binding
o Styles
O All of the given options (Page#79)
آرام سے زعری کزار تا حیا ہے جو توا ہے دل سے الماح تکال دو ہے

Ques	tic	on # 85:	is basically array of arrays.
0	S	Stack	
0	F	Pointer	
0	J	Jagged (Page # 23)
0	F	Function	
Ques	tic	on # 86: The using	directive can be used to rename a long namespace in the current file.
0	7	Гrue	(Page#27)
0	F	False	
Ques	tic	on # 87: Derived cla	ass is exactly the same as base.
0	7	Гrue	(Page # 29)
0	F	False	
Ques	tic	on # 88: Cast back t	o base type to call a/an method of base.
0	Ι	Instance	
0	F	Base Class	
0	Ι	Derived Class	
0	(Overridden	(Page # 29)
, 45	_يا	دست، سے آ	خوبصورتی علم و ادب سے ہوتی ہے لباس و
	30		3 0 7 C, 6 3, C 7 3 7 6 3 7 5 7 5

			X2.00
Ques	tion # 89: ₋	ir	voke derived c
0	Abstraction	on	
0	Polymor	hism	(Pag
0	Composit	ion	
0	Associati	on	
Ques	tion # 90: ₋		are inherited b
0	Functions		
0	Variables		
0	Interface	S	(Page # 40)
0	Objects		
Ques	tion # 91: <i>I</i>	An object in	itializer is a syr
0	True		(Page # 39)
0	False		
Ques	tion # 92: <i>1</i>	Attributes a	dd
0	Clearance		
0	Errors		
0	Meta Da	a	(Page#47)
0	Ambiguit	y	
اہے	چینی کرن	رں پر نکث	سان کام دوسر
	3 4 4	76.	

0.	4	ion # 02: Enum of one to	ma may mat ha	
Qι	iest	ion # 93: Enum of one ty	/pe may not be	_ assigned to an enum of another type.
	0	Implicitly	(Page#49)	
	0	Explicitly		
	0	Both of above		
	0	None of the given		
Qι	ıest	ion # 94: Default value o	of first member is	
	0	0	(Page#50)	
	0	1		
	0	2		
	0	3		
Qι	ıest	ion # 95: Namespaces do	o not allow name reuse.	
	0	True		
	0	False	(Page # 27)	
Na	<mark>ıme</mark>	espaces allow name reuse	<mark>s.</mark>	
Qι	ıest	ion # 96: Indexers can ta	ke any number of	
	0	Arrays		
	0	Variables		
	0	Parameters	(Page # 36)	
	0	All of these		

Ques	tion # 97: De	rived Event is:
С	Introduced i	into an event processing system by an event consumer.
С		as a result of event that takes place inside an event processing system.
	(Page#11)	
С	Introduced i	into an event processing system by an event producer.
С	A set of asso	ociated events.
Ques	tion # 98:	is a static class in the System namespace.
_		
Ш	Console	(Page # 18)
	Pointer	
	Variable	
	Function	
Ouga		ly a tymas hald thair yalva in a yyhara thay ara daalarad
Ques	tion # 99: va	lue-types hold their value inwhere they are declared.
	Variable	
	Reference	
0	Memory	(Page # 38)
		(= -g- ··)
	Object	
Questi to defa	ion # 100: We cault values.	can add constructors to a struct and can also overload the default ctor which initializes everything
0	True	
	False	(Page#39)

. 7	
Quest	ion # 101: An initializer list can be used to use an alternate constructor.
0	True (Page#28)
0	False
	ion # 102: C# event is a class member that is whenever the event it was designed for s (fires).
0	Activated (Page # 45)
0	Deactivated
0	Transformed
0	Associated
Quest	ion # 103: A single exception can be handled differently.
0	True (Page # 46)
0	False
Quest	ion # 104: WPF stands for:
0	Windows Powerful Foundations
0	Windows Presentation Formations
0	Windows Presentation Foundations (Page # 69)
0	Windows Presentation Functions
<:	ستہری سروق ایک سورے کو یاتی کے قتلہ وال سے بھی ڈیا وہ دھفاف رکھو کیوں کہ جس طریح قتلہ وال سے دریا چاتا ہے ای طریح سوچوں سے ایمان چاتا ہے۔ دستری

Ques	Question # 105: Attribute parameters can be either positional parameters or named parameters.					
0	True (Page # 48)					
0	False					
Ques	tion # 106: Which of the following statements is TRUE about raw event?					
0	It is introduced into an event processing system by an event producer. (Page #	14)				
0	It is generated as a result of event processing.					
0	It is introduced into an event processing system by an event consumer.					
0	It is a subscription mechanism for events.					
Ques	tion # 107: Attributes can be used at design time by application development tools.					
0	True (Page # 47)					
0	False					
Ques	tion # 108: Windows Presentation Foundations (WPF) was publicly announced in					
0	2000					
0	2001					
0	2002					
0	2003 (Page # 69)					
Ques	tion # 109: A delegate is a reference to a method.					
0	True (Page # 43)					
0	False					

Q ı	iest	ion # 110: Syntax o	of struct and class are very
	0	Similar	(Page # 38)
	0	Different	
	0	Large	
	0	Small	
Qι	iest	ion # 111: Events a	and work hand in hand.
	0	Parameters	
	0	Delegates (1	Page # 45)
	0	Functions	
	0	Data Members	
Qı	iest	ion # 112: C# is a _	and .NET is a
	0	Platform, Languag	ç <mark>e</mark>
	0	Package, Language	e
	0	Language, Package	e
	0	Language, platfor	rm (Page#17)
C#	des	ign most directly reflec	cts .NET (CLR) design but C# is a language and .NET is the
		. 1 ~ .	
			رزق کو کہا ج

Que	ion # 113: Named parameters come before positional parameters.	
C	True	
C	False (Page#43)	
Que	ion # 114: Stathread is stand for:	
C	Single Threaded Attribute model	
C	Single Threaded Apartment model (Page # 48)	
C	Single Threaded Authorized model	
C	Single Threaded Assumed model	
	ead is a common attribute you will see later. It stands for Single Threaded Apartment model which is used for communicating yed COM.	with
Que	ion # 115: Structs can not have destructors.	
C		
	True (Page # 38)	
C	False	
	False	
Que	False ion # 116: Instances of value types do not have referential identity.	
Que	False ion # 116: Instances of value types do not have referential identity. True (Page # 18) False ion # 117: The "this" pointer in methods refers to the on which the meth	od is
Que	False ion # 116: Instances of value types do not have referential identity. True (Page # 18) False ion # 117: The "this" pointer in methods refers to the on which the meth	od is
Que	False ion # 116: Instances of value types do not have referential identity. True (Page # 18) False ion # 117: The "this" pointer in methods refers to the on which the meth	od is
Que	False ion # 116: Instances of value types do not have referential identity. True (Page # 18) False ion # 117: The "this" pointer in methods refers to the on which the methods. Function	od is
Que	False ion # 116: Instances of value types do not have referential identity. True (Page # 18) False ion # 117: The "this" pointer in methods refers to the on which the methods. Function Class	od is

Ques	ion # 118: The, andof applications that use events, either ly or indirectly is called event-based programming.	
0	Model, Code, Operation	
0	Analyze, Design, Operation	
0	Code, Operation, Maintain	
0	Design, Coding, Operation (Page # 10)	
Ques	ion # 119: Ctor return any values and it initializes class members.	
0	True	
0	False (Page # 27)	
Ques	ion # 120: processing is computing that performs operations on events.	
0	Transactional	
0	Functional	
0	Event (Page # 10)	
0	All of these	
Ques	on # 121: is an event that is introduced into an event processing system by an event cer.	
0	Event Producer	
0	Event Consumer	
0	Raw Event (Page # 14)	
0	Event Stream	
6	جو شخص ناکامیوں سے ٹر کر بھاگتا ہے کامیابی اُس سے ٹر کر بھاگتی	

Question # 122: Multiple _		ion # 122: Multiple _	are conventionally stored in multiple files.
	0	Functions	
	0	Values	
	0	Variables	
	0	Classes	(Page # 28)
Q	uest	tion # 123:	are algorithms that operate on data.
	0	Variables	
	0	Functions	
	0	Methods	(Page # 43)
	0	Classes	
	uest lue		_ are unique types that allow you to assign symbolic names to integral
	0	Structures	
	0	Enumerations	(Page # 49)
	0	Typedefs	
	0	Unions	
	۷.	ے سے اتر جا ہا ہے۔	الاستران التودل مين الرجاحات المستردل مين الرجاحات المستردل المست

	Question # 125: Attributes are generally applied in front of type and type member declarations.		
	0	Logically	
	0	Physically (Page # 48)	
	0	Both of above	
	0	None of given	
Qι	iest	tion # 126:let any classes behave like an array.	
	0	Properties	
	0	Fields	
	0	Indexers (Page # 29)	
	0	Finalizers	
Qι	iest	tion # 127: Zero-based index is used in jagged arrays.	
	0	True (Page # 18)	
	0	False	
		tion # 128:event consumer is an entity at the edge of an event processing system that wes events from the system.	
	0	Event Producer	
	0	Event Consumer (Page#14)	
	0	Event Stream	
	0	None of the given	

Ques	tion # 129:	are called by garbage collector.
0	Constructors	
0	Destructors	(Page#28)
0	Both of above	
0	None of the give	n
Ques	tion # 130: Single	Threaded Apartment model is used for communicating with unmanaged COM.
0	True	(Page # 48)
0	False	
Threa	nded Apartment mode	el which is used for communicating with unmanaged COM
Ques	tion # 131:	types have the notion of referential identity.
0	Value	
0	Reference	(Page # 18)
0	Both of above	
0	None of the give	n
	tion # 132: ing some other typ	can leave your program in an inconsistent state by not releasing resources pe of cleanup.
0	Functions	
0	Exception	(Page # 47)
0	Abstraction	
0	All of these	

Que	st	tion # 133: Default un	derlying type of an enum is
C)	int (Pag	g <mark>e # 50)</mark>
C)	short	
C)	long	
C)	all of these	
Que	st	tion # 134: Anonymou	as method is a method without a name.
C)	True	(Page # 53)
C)	False	
Que	st	tion # 135: There are	methods to read XML document.
C)	Two	(Page # 55)
C)	Three	
C)	Four	
C)	Five	
Ther	e :	are two methods to read 2	XML document. Using XmlDocument and XmlReader.
		tion # 136: "out" parable arguments.	meters which are not used for return values or the "params" argument for
()	True	
C)	False	(Page # 25)
"out	' ['] r	parameters which are use	d for return values or the "params" argument for variable arguments.
	1		

Question # 137: is a base class similar to UIElement but for document-related pieces of content that don't have rendering behavior on their own.				ment-related pieces	
	0	ContentElement	(Page # 79)		
	0	VisualElement			
	0	SystemElement			
	0	XAMLElement			
Qι	ıest	tion # 138:1	have already happened whereas _	are asking	something to happen.
	0	Requests, Events			
	0	Events, Requests	(Page # 13)		
	0	Functions, Events			
	0	Requests, Functions			
Qι	ıest	tion # 139: The comm	on type system of C# has	types and	types.
	0	Reference, Value			
	0	Value, Reference	(Page # 18)		
	0	Function, Data			
	0	Data, Function			
				- 4	1/1.
6	<u>۔</u>	ے در در بھادئی	بھاگٹا ہے کامیابی اُس س	یوں سے در در	جو شخص ناحام

Qι	iest	ion # 140: operations are completed before the next operation can be started.
	0	Asynchronous
	0	Synchronous (Page # 10)
	0	Both of the above
	0	None of the given option
Qι	iest	ion # 141: IsNumeric(string s) is a function of class.
	0	Math class
	0	Program class
	0	String class
	0	MyUtills class (Page#53)
Qι	iest	ion # 142: add declarative information to your programs.
	0	Attributes (Page # 47)
	0	Functions
	0	Exception
	0	Objects

خود کو تمهیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سکتا

Qı	Question # 143: A compiled C# file is called		
	0	Complied File	
	0	Source File	
	0	Assembly File (Page # 41)	
	0	EXE File	
Qı	uest	tion # 144: To delcare an anonymous method, you just use keyword "".	
	0	handler	
	0	event	
	0	delegate (Page # 53)	
	0	none of the given	
Qı	uesi	tion # 145: Obsoleteattribute causes a warning to appear.	
	0	compile-time (Page # 47)	
	0	run-time	
	0	anytime	
	0	none of the given	
Ob	<mark>solet</mark>	eAttribute causes a compile-time warning to appear. Such things would be difficult to accomplish with normal code.	
	اب	دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکتہ چینی کرن	

Question # 146: All the members of interfaces are implicitly_____.

O Private
O Static
O Public (Page # 34)
O Abstract

Question # 147: _____ decouple producers and consumers.

- o Requests
- Events (Page # 13)
- o Functions
- o All of these

Question # 148: Markup extensions are invoked from _____ with explicit and consistent syntax.

- o C#
- o HTML
- XAML (Page # 73)
- None of the given

عقل مند اپنے عیب خود دیکھتا ہے اور بیوقوفوں کے عیب دنیا دیکھتی ہے

Question # 149: The base class will have the _____ functionality of all derived classes. Common Specialized Unique Different Question # 150: There is no order requirement on named parameters. **True** (Page # 49) o False Question # 151: Any class, including the same class that the event is declared in, may register one of its methods with the Delegate **Function** Class (Page # 45) **Event** Question # 152: Using xmldocument, the order is required. True (Page # 55) **False** Using XmlDocument is easier. No order is required. تم اچھا کرو زمانہ تم کو برا سمجھے یہ اس سے بہٹر ہے کہ تم برا کرو اور زمانہ تم کو اچھا سمجھے

Question # 153: When the data is passed from one place to another in chunks, this data is called		
0	Bits	
0	Line	
0	Byte	
0	Stream	
	ion # 154: Overloaded operators must be static and must be declared in the class for which the tor is defined.	
0	True (Page # 51)	
0	False	
Quest	ion # 155: A method performs an action in a series of statements, called a	
0	Code Block	
0	Method Block	
0	Routine Block	
O A mot	Statement Block Click here for more detail nod performs an action in a series of statements, called a statement block	
A meu	nou performs an action in a series of statements, caned a statement block	
	سمسی انسان کی خو بی کو پہچا نو ں اور اِ ہے ہیان کر و ہیکن اگر کسی کی خامی ال جا گئو بیہا ں تنہا ری خو بی کا امتخان ہے۔ فریان حضرے علی	

Que	Question # 156: contacts the service provider or the server.		
C)	Event-driven	
C)	Service Requester (Page # 13)	
C)	Both of the above	
C)	None of the given options	
		ion # 157: Polymorphism works on the basis that child class should have feature/s of its t class.	
C)	Only one	
C)	No	
C)	Few	
C)	All	
Que	st	ion # 158: A customer order can be represented as	
C)	Event	
C)	Request	
C)	Event or Request Page # 13	
C)	All of the given	
A cu	<mark>sto</mark>	omer order can be represented as an event or a request:	
	<u>د</u>	اپنی مرضی اور الله کی مرضی میں فرق کا نام غم	

Qı	ıest	on # 159: XAML is a declarative programming language for creating and initializing objects.	
	0	C#	
	0	XAML (Page# 70)	
	0	HTML	
	0	All of these	
Qı	ıest	on # 160: may contain events.	
	0	Requests	
	0	Service	
	0	Messages (Page # 13)	
	0	Applications	
Qı	ıest	on # 162: reads entire document in memory.	
	0	Xmldocuments (Page # 55)	
	0	Xmlreader	
	0	Both of above	
	0	None of the given	
4		جهوٹ انسان اور ایمان دونوں کا دشمن ہے	

Question # 163: The method is used to read the whole file at once.			method is used to read the whole file at once.
C)	ReadAllText("test.txt");	Click here for more detail
C)	ReadAll();	
C)	Read("test.txt");	
C)	ReadLine();	
Que	st	ion # 164: XML is a stricter v	version of
C)	Java	
C)	CSS	
C)	HTML (Page #	54)
C)	C#	
Que	st	ion # 165: g++ is a command	of
C)	Dev C++	
C)	Unix based system Click	here for more detail
C)	Windows based system	
C)	None of the given options	
g++	co	ompiler commands on a Unix-Bas	sed system
r		ہو۔تا ہے	یرده محورت کے پیرے پر
			ا کرچیرے پرخییر
		پرضرور ہے	تو مجھ لوک اُس کی عظل

Question # 166: Writing higher-level functions that call upon lower-level functions a program.		
o Decode		
o Harder		
<mark>○ Simplify</mark>		
o Refactor		
Question # 167: To use kbhit() command, you need to include which header file in your program?		
o fstream.h		
o stdio.h		
o iostream.h		
o conio.h click here for more detail		
circumore details		
Question # 168: Every is represented by an event-object.		
Question # 168: Every is represented by an event-object.		
Question # 168: Every is represented by an event-object. O Information		
Question # 168: Every is represented by an event-object. o Information o Entity		
Question # 168: Every is represented by an event-object. o Information o Entity o Object		
Question # 168: Every is represented by an event-object. o Information o Entity o Object o Event page # 10		
Question # 168: Every is represented by an event-object. o Information o Entity o Object o Event page # 10		
Question # 168: Every is represented by an event-object. o Information o Entity o Object o Event page # 10		

Q	Question # 169: Wpf 3.5 released in		
	0	2005	
	0	2006	
	0	2008 <u>click here for more detail</u>	
	0	2009	
Q	uest	tion # 170: "Situation" is an event occurrence that requires a (n)	
	0	Reaction page # 10	
	0	Class	
	0	Object	
	0	Action	
Q	uest	tion # 171: Events can be	
	0	Specialized	
	0	All of the given options page # 15	
	0	Composed	
	0	Generalized	
(پور	عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ ہے وقوف کہتا ہے کہ میں سب کچھ جانتا ر	
	30		

Question # 172: A (n)is a subscription mechanism for events.		
	0	Raw Event
	0	Event Stream
	0	Event Channel page # 13
	0	Event Producer
Qι	iest	ion # 173: The default constructor initializes the integers with value.
	0	Empty
	0	NULL
	0	Zero (0)
	0	One (1)
Qι	ıest	ion # 174: Which statement is True about interfaces?
	0	An interface can contain only methods, variables, events, and indexers.
	0	An interface can contain only variables, properties, events, and indexers.
	0	An interface can contain only methods, properties, variables, and indexers.
	0	An interface can contain only methods, properties, events, and indexers. Page # 40
	136	خود کو تمهیں سے بڑھ کر کوئی اچھا مشورہ نہیں دے سک
1	5	

Qι	est	ion # 175: Not implementing some methods of the interface in the class is
	0	An error page # 40
	0	Acceptable
	0	A warning
	0	An exception
Qι	est	ion # 176: Method is used to move the file from one directory to another.
	0	Move page # 63
	0	Export
	0	Import
	0	None of given options
Qι	est	tion # 177: Unlike type converters, however, markup extensions are invoked from XAML with
	0	Bridge assemblies
	0	Wrapper code
	0	Explicit and consistent syntax page 73
	0	None of the given options
		1-1-5-5-01-T
	i	
		للاسي تكال دو

Question # 178: An "object" element can havetype/s of children.		
0	Four	
0	Three Page 73	
0	Two	
0	One	
Quest	tion # 179: Which of the following grabs the "OK" button by only knowing its name?	
0	Button okButton = (Button)window.GetName("okButton")	
0	Button okButton = (Button)window.getElementByName("okButton")	
0	Button okButton = (Button)window.FindName(''okButton'') page # 76	
0	Button okButton = (Button)window.GetButton("okButton")	
Quest Prope	tion # 180: The only Net language has an intrinsic understanding of dependency erties.	
0	Vb.net	
0	C#	
0	J#	
0	Xaml page # 83	
	عقل مند اپنے عیب خود دیکھتا ہے اور بیوقوفوں کے عیب دنیا دیکھتی	
6	Barror Can Jon Char Jor Ch	

Question # 181: There is/are type(s) of padding in WPF ele	ement.
o One	
o Two	
○ Three page #91	
o Four	
Question # 182: If we require to set components in table (column will be used?	and row) format, then which panel
o StackPanel	
o Grid page 104	
o TabPanel	
o DockPanel	
Question # 183: What is the default value of "RowSpan" property	of "Dockpanel"?
0 3	
0 2	
○ 1 page # 104	
\circ 0	
سلاح اور سب سے آسان کام دوسروں پر نکٹہ چینی کرنا ہے	دنیا میں سب سے مشکل کام اپنی ام

Question # 184: What is the default value of "ColumnSpan" property of "Dockpanel"?
\circ 2
○ 1 page # 104
\circ 0
0 3
Question # 185: An "UIElement" receives mouse events only if "IsHitTestVisible" is
\circ 0
o False
○ Null page # 121
o True
Question # 186: A (n) is a set of associated events.
o Event Consumer
o Event Producer
• Event Stream Page # 14
o Event Channel
· • • • • • • • • • • • • • • • • • • •
زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Q	Question # 187: Which of the following is not a feature of "C#"?		
	0	Operator overloading is not allowed. Page # 17	
	0	Multiple Inheritances is not supported but interfaces are supported.	
	0	Enumeration members are scoped.	
	0	Global variables or functions are not allowed.	
Q	uesi	tion # 188: "Console" is a/an class in the "System" namespace.	
	0	Virtual	
	0	Input	
	0	Static page # 18	
	0	Dynamic	
Q	ues	tion # 189: Identify the Correct statement?	
	0	"Struct" can add methods like interfaces and can be called in exactly the same way.	
	0	"Interfaces" can add methods like classes and can be called in exactly the same way.	
	0	"Struct" can add methods like classes and can be called in exactly the same way. Page # 39	
	0	"Struct" cannot add methods like classes and cannot call in exactly the same way.	
Q	uesi	tion # 190: There is/are type/s of parameter/s for attributes.	
		Four (4)	
		Three (3) page # 36	
		One (1)	
		Two (2)	

Question # 191: XML document is readable by ______.

No one

Machine and Human both page # 54

Human only

Machine only

Question # 192: Compiling XAML involves _____ step(s).

Three page 76

Two

One

Four

Question # 193: One of the key goals of WPF and XAML is the separation of

None of the given options page # 70

- Events from event handlers
- Methods from properties
- o Design elements from implementation



Question # 194: One of the ways to create an instance of a class is			
	0	O System array	page # 18
	0	o Factory method	
 Sequential heap 			
	0	 XAML compiler 	
Qu	est	estion # 195: Which "transform" pro	perty can help us to flip the element from its center?
	0	o ScaleY	
None of given optionsScaleX			
	0	O RenderTransformOrigin pa	<mark>ge # 126</mark>
Question # 196: By convention "tunneling event" names are prefixed with and just come the bubbling event occurs.			
	0	O View, after	
	0	o View, before	
	0	Preview, before page # 117	
	0	o Preview, after	
			ستهری حروف این سویچ کویانی که قنطروں ہے ہی
ا پی سوی و پای سے سفروں سے می ریادہ سفاف رسو کیوں کہ جس طرح قطروں سے دریا بنتا ہے			
ای طرح سوچوں سے ایمان بنتا ہے۔۔			
		(حسرسطی)	

Qı	Question # 197: Stylus can behave like a but hasresolution.					
		o Keyboard, lower				
	0					
	0	Mouse, higher page #122				
	0	Keyboard, higher				
Question # 198: Which one is the correct syntax for declaring attribute?						
	0	[Obsolete] page # 48				
	0	{Obsolete}				
	0	(Obsolete)				
	0	*Obsolete				
Question # 199: The corresponding type converter class for "Brush" class will be						
	0	BrushConverter page # 149				
	0	CastBrush				
	0	BrushCast				
	0	None of the given options				
Qı	uest	ion # 200: The elements in a/an are always stored in a contiguous block of memory.				
	0	Tree				
	0	Array				
	0	Variable				
	0	Struct				

Question # 201: The statement iterates over each element in an "enumerable" object					
	0	Foreach	page # 191		
	0	Dowhile			
	0	While			
	0	For			
Question # 202: You can handle multiple exception types with multiple clauses.					
	0	Throw			
	0	Finally			
	0	Catch			
	0	Try			
		ion # 203: A _ the error.	block has access to an "Exception" object that contains information		
	0	Throw	page 46		
	0	Catch			
	0	Try			
	0	Finally			
ľ		مول د <u> </u>	اے اللہ مشکلات میں میرا ہاتھ پکڑلے مشکلات میں میرا ہاتھ کڑلے اور میرے سامنے ہرمعا ملے میں حقائق کے سارے پہلو کھ		

Ques	Question # 204: Attributes are declared the class/function.			
0	Within			
0	After			
0	Above			
0	Outside			
	Question # 205: Whenever an attribute value is enclosed in curly braces "{}", the XAML compiler/parser treats it as a/an rather than a/an			
0	Markup event, property			
0	Markup property, Event			
0	Literal string, Markup extension value			
0	Markup extension value, literal string page # 73			
Ques	Markup extension value, literal string page # 73 tion # 206: If we want that "Stretch" property of child element takes the available "height or of parent" and shape of child element doesn't change, then we should write "Stretch = ".			
Ques	tion # 206: If we want that "Stretch" property of child element takes the available "height or			
Ques width	tion # 206: If we want that "Stretch" property of child element takes the available "height or			
Ques width	tion # 206: If we want that "Stretch" property of child element takes the available "height or of parent" and shape of child element doesn't change, then we should write "Stretch =" 1			
Ques width	tion # 206: If we want that "Stretch" property of child element takes the available "height or of parent" and shape of child element doesn't change, then we should write "Stretch =". 1 Fill page 109			
Ques width	tion # 206: If we want that "Stretch" property of child element takes the available "height or of parent" and shape of child element doesn't change, then we should write "Stretch =". 1 Fill page 109 UniformToFill			
Ques width o	tion # 206: If we want that "Stretch" property of child element takes the available "height or of parent" and shape of child element doesn't change, then we should write "Stretch =". 1 Fill page 109 UniformToFill			

Question # 207: Which of the following is Not a routing strategy? Tunneling **Indirect page 117** Bubbling o Direct Question # 208: We are checking that whether an element is eligible for focus or not, which property will help us in this testing? Focus IsFocus o IsFocusable **Focusable page 121** is a component of the structure of an event. Question # 209: A (n) _ **Event Attribute** page 15 **Event Request Event Response Event Architecture** کوشش کروکہ بتم و حیامیں رہو، و حیاتم میں شدر ہے کیونک کشتی جب تک پانی میں رہتی ہے خوب تیرتی ہے

سے سیکن جب پانی مشتی میں آ جا تا ہے تو وہ ڈوب جاتی ہے

حضر يدعلي

Ques	ation # 210: In C#, comments are written using		
0	# and */ /*		
0	// and /* */ page18		
0	# and /*		
0	// and */ /*		
Ques	tion # 211: C# is most often used with some implementation of the		
0	Compact Language Interface		
0	Control Language Infrastructure		
0	Control Language Interface		
0	Common Language Infrastructure page # 18		
Question # 212: Directory is the class of			
0	System.Collections.Generic		
0	System.Reflection		
0	System.Text		
0	System.IO		
÷	جو مختص میں جا ہے کہ اس کی زندگی کا میا بی ہے بسر ہوہ وہ اپنے بار		
	ے بعدای کے دوستوں نے تیک سلوک کرے۔!!!		
3 ,	حضوت عبر فار		

Qı	Question # 213: In Visual Studio 2012, expression blend is WPF feature.				
	0	80%			
	0	100% Page # 69			
	0	90%			
	0	70%			
W	WPF and expression blend is 100% WPF and is great for designing and prototyping WPF apps.				
Qι	iest	tion # 214: For which of the following, WPF does not provide any type converter?			
	0	Color			
	0	Point			
	0	None of the given options Page #72			
	0	FontWeight			
Question # 215: We have two buttons "b1" and "b2". If we want to place "b1" on "b2" then value of "ZIndex" of "b1" should be the value of "ZIndex" of "b2".					
	0	Less than			
	0	Greater than			
	0	Equal to			
	0	No need to give value of ZIndex of b1 page # 99			
		ستهری حروف			
	ا پڑی سورج کو یا تی کے قطروں سے بھی زیادہ شفاف رکھو کیوں کہ جس طرح قطروں سے دریا بٹتا ہے				
	ای طرح سوچوں سے ایمان بنتا ہے۔۔ (معرب باتا)				

Qı	Question # 216: Routed events are like on top of .Net properties.			
	0	Event properties		
	0	Layer		
	0	Properties		
	0	Dependency properties page # 116		
Qι	iest	tion # 217:helps apps remain oblivious to the visual tree.		
	0	Routed Events		
	0	Input Events page # 116		
	0	Output Events		
	0	Obvious Events		
Question # 218:where multiple GUI elements and many sources of events exist.				
	0	Visual programming page # 08		
	0	Event properties		
	0	Control Language Interface		
	0	Content property		
Question # 219: Event-based programming, also called				
	0	Event-driven architecture page # 10		
	0	Event properties		
	0	Layer		
	0	Output Events		

Question # 220: Methods arethat operate on data.				
0	Algorithms	page # 37		
0	Variable			
0	Pointer			
0	Function			
Ques	is compiled, it creates a file called a/an, which is			
0	C++			
0	Assembly	page # 41		
0	Text			
0	BIOS			
Ques	tion # 222: A	Attribute parameters ca	n be eitherparameters or named parameters.	
0	Function			
0	Method			
0	Value			
0	Positional	page # 43		
		50100		
۷	بان _	ں ویں جو اث	و و در دولات 2 الی چر س	
*			احتیار میں حق و دنت انسال کو بچور اور دولت	
	, 4		حدرت على -ر خي الله	
		. 47 (0)		

Question # 223: Graphical user interfaces and the event-driven model are not applied on which of the following?			
 Web Applications 			
Console Applications			
 Mobile applications 			
o Desktop Applications			
Question # 224: WPF element in "DockPanel" has property "dock". There is/are possible value(s) of "dock" property.			
o two			
o three			
o four (Page 93)			
o <mark>one</mark>			
Question # 225: In context of XAML child element rules, if the parent supports a content property and the type of the child is compatible with that property, treat the child as its			
o Super class			
o Sub class			
O Value (Page 68)			
o Interface			
معاشرہ پر ختیارااس سے بڑااحال اور کوئی خیس ہوگاکہ خم خود سنور جائے۔			

Ques	estion # 226: The use	er interfaces, enabled by WPF, is getting	a lot of attention.
0	Loutish		
0	Polished (Page 61)		
0	Coarse		
0	Distracted		
Ques	estion # 227: With the help of WPF, an	ugly looking application can be	by the designers.
0	Rearranged		
0	Re-created		
0	Re-themed (Page 61)		
0	Rejected		
	estion # 228: If we want to rotate an object of the system then which transform cla	ect clockwise about a specified point in a ss will be used?	12-D x-y
	None of given (Page 8)	<mark>7</mark>)	
0	m 1 . m C		
0	Skew Transform		
0	Scale Transform		
اہے	آسان کام دوسروں پر نکٹہ چینی کرنا	مشکل کام اپنی اصلاح اور سب سے	دنیا میں سب سے


Question # 229: All elements of WPF have following property/properties.

- o Width
- None of given options
- Height and Width
- o Height

CS411 QUIZ # 3 2014 and 2015 From (22 to 32) Lectures

Question # 230: Which function is used to create cancel button event of dialog box

- OnInitCancel()
- OnClickCancel()
- CancelClick()
- OnCancel()



Question # 231: Consider the following C# code segment: button.Background = (Brush) new BrushConverter().ConvertFrom ("SystemColors.WindowBrush"); Which one of the following is equivalent XAML code?


- O <Button Background= "SystemColors.WindowsBrush"/>
- <Button Background= "SystemColor.WindowsBrush"/>
- Sutton Background="SystemColor.WindowBrush"/>
- Sutton Background= "SystemColors.WindowBrush"/>

Question # 232: Multi touch events are categorized into _____ and ____

- Touch events, touchup events
- Touchdown events, touchup events
- o Advanced touch events, low-level manipulation events
- o Basic touch events, higher-level manipulation events

Question # 233: Which of the following components generates an input Event?

- o Printer
- Multi Touch
- Plotter
- Speaker



Qu	Question # 234: Using requires more overhead than because of the extra				
trac	tracking.				
	0	StaticResource, DynamicResource			
	0	DynamicResource, StaticResource			
	0	PermanentResource, TemporaryResource			
	0	TemporaryResource, PermanentResource			
Qu	est	ion # 235: We use "UIElement" property ClipToBounds= "false" when			
_					
	0	We want area child element don't cross the boundary of parent			
	0	None of given			
	0	We want area of child element is allowed to cross the boundary of parent			
	0	Parent area also increases on increasing of area of child element			
Qu cal		ion # 236: The Java programming language has a specific class for creating splash screens,			
	0	Java.awt.start			
	0	Java.lang.splash			
	0	Java.start.screen			
	0	Java.awt.SplashScreen			
L	ہوا	عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ ہے وقوف کہتا ہے کہ میں سب کچھ جانتا			

Question # 237: ______ is used to perform navigation.

Session

Hyperlink

- Hypertext markup language code
- Internet protocol

Question # 238: Which of the following operation cannot be performed by using a View?

- Grouping
- Filtering
- Sorting
- Searching

four view of supported items,

1. Grouping, 2: Filtering, 3: Sorting, 4:

1. Grouping, 2; Filtering, 3; Sorting, 4; Navigation

Question # 239: To design a complex Interface, which of the following technique is best to achieve the required results?

- Panels composed in three panels
- Panels composed within panels
- Panels composed in two panels
- Panels composed in single panel



Question # 240: Which of the following is not a string format property throughout WPF? ContentStringFormat ItemStringFormat RowHeaderStringFormat **StringFormat** Question # 241: In multi touch events, a/an _____ id is assigned to each individual event. Device Processor CPU Event Question # 242: Commonly we have two types of custom command bindings named as StartBindings and StopBindings EventBindings and InstanceBindings ButtonBindings and TextboxBindings **KeyBindings and MouseBindings** خوبصورتی علم و ادب سے ہوتی ہے لباس و حسن سے نہیں

Qı	uest	tion # 243: Which of the following is an example of tunnel key event?
	0	Key up
	0	Preview key entered
	0	Preview key down
	0	Key down
		tion # 244: In context of data binding, contains the current item to get it pronized with data Source.
	0	String
	0	Template
	0	View
	0	<u>List</u>
Qı	uest	tion # 245: Multi touch events are categorized into and
	0	Touch events, touchup events
	0	Touchdown events, touchup events
	0	Advanced touch events, low-level manipulation events
	0	Basic touch events, higher-level manipulation events
10,100,100		کسی سے نیکی کرتے وقت برلے کی توقع نه رکھو کیونکه اچھائی کا برله انسان نیں الله ریتا ہے

Ques	tion # 246:	and	are the two important properties of Binding object.
0	Start, Destination		
0	Items, Selected		
0	Source, Path		
0	BindTo, BindFrom		
Ques	tion # 247: Which one	e of the follow	ing panels is most powerful, versatile and customizable?
0	Grid Panel		
0	Canvas panel		
0	Doc panel		
0	Stack panel		
Ques	tion # 248: An event t	hat is raised w	henever the value of "CanExecute" changes is known as
0	CanExecute		
0	CanExecuteChanged	ı	
0	Command		
0	Execute		
	ے صحت بیٹر د	ں سے نیک	بری صحبت سے تنہائی بہتر ہے اور تنہائے
		* [
	0.00		

Quest	tion # 249: In order to resize the row and column in Grid panel, is used.	
0	Grid divider	
0	Grid compiler	
0	Grid converter	
0	Grid splitter	
Quest	tion # 250: Data binding is about tying together arbitrary .NET	
0	Objects	
0	Functions	
0	Properties	
0	Variables	
Question # 251: supports the creation of applications that run directly in a web browser.		
0	WPF Control of the co	
0	C/C++	
0	C#	
0	HTML	
	سمسی انسان کی خوبی کو پیچانوں اور اِسے بیان کروہ لیکن اگر کسی کی خامی ال جائے تو بیہاں تنہاری خوبی کا امتحان ہے۔ فریمان حضریت علی	

Qι	iest	tion#252: Which of the following operation cannot be performed by using a View?
	0	Grouping
	0	Filtering
	0	Sorting
	0	Searching
Vi	ew	Supported items, 1. Grouping, 2. Filtering, 3. Sorting, 4. Navigation
Qu us		tion # 253: To check that the user either pressed left Alt key or right Alt key, the is
	0	IsKeyDown
	0	IsDown
	0	keyboardDevice.IsKeyDown
	0	KeyStates.IsKeyDown
		tion # 254: In browser app, you change" <targetzone>Internet</targetzone> " to getZone>Custom"
	0	Partial-trust
	0	Full-reject
	0	Partial-reject
	0	Full-trust
	اب	دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکثہ چینی کرن

Question # 255: _____ provides the logic behind the "Back" and "Forward" buttons.

- o Hyperlink
- Navigation Window
- o IFrame
- o Journal PG # 138

Journal provides logic behind back and fwd.

Question # 256: In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger ______.

- Independently
- Completely
- Partially
- Dependently

Question # 257: In a code segment, if the Visibility="Collapsed" then which of the following events are not generated?

- Key down Events
- Mouse Events
- Routed Events
- Keyboard Events

تم اچھا کرو زمانہ تم کو برا سمجھے یہ اس سے بہتر ہے کہ تم برا کرو اور زمانہ تم کو اچھا سمجھے

_	tion # 258: A Window can spawn number of additional Windows by instantiating ndow-derived Class and calling Show ().
0	Four
0	Any
0	Six
0	Five
Ques	tion # 259: Frame has a property used in enabling or disabling the bar.
0	ShowsNavigationUI
0	BlocknavigationUI
0	NavigationUIVisibility
0	NavigationUIBlock
Ques on	tion # 260: If we insert some objects in a single cell in Grid panel, then these objects are placed
0	One on Top of the other
0	One after the other
0	One on Bottom of the other
0	One on Side of the other
بنو	زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت

Q	uesi	tion # 261: A	receives keyboard events only if it has keyboard focus.
	0	Mouse	
	0	Keyboard Controls	
	0	Keyboard	
	0	UIElement	PG # 121
		tion # 262: To remove da ion.	ta binding between the source and the target, we can use
	0	ClearBinding	PG # 151
	0	ResetBinding	
	0	StopBinding	
	0	RemoveBinding	
Q	uesi	tion # 263: A/An	screen is an image that appears while a game or program is loading
	0	Opening	
	0	Initial	
	0	Splash	
	0	Startup	
		طروں سے گر جاتا	جو لوگوں کے سامنے فخر کرتا ہے وہ لوگوں کی نظ

Question # 264: We can perform sorting through View by using an object of ______ class.

O ViewOrder

O ViewDescription

SortOrder

o SortDescription PG # 158

Question # 265: "Binding" technique binds two properties together and keeps a ______open.

- Memory location
- Selection
- Choice

Communication channel PG # 151

Binding binds two properties together and keeps a communication channel open.

Question # 266: Which one of the following can be used to set dependency property values?

- Temporary resource
- Permanent resource
- O Dynamic resource PG # 148
- Static resource

dynamic can only be used to set dep. prop. values.

خوبصورتی علم و ادب سے ہوتی ہے لباس و حسن سے نہیں

_	Question # 267: Which one of the following is used, if we want to add a window resource in procedural code?		
	0	Window.Resource.Add ();	
	0	<widows.resources></widows.resources>	
	0	Window.Resoruces.Add();	
	0	<window.resources></window.resources>	
Qι	ıest	ion # 268: We use "GetDefaultView" method of to get the default View.	
	0	CollectionViewSource PG # 157	
	0	DataSource	
	0	ViewDescription	
	0	ViewCollection	
IC	olle	the default view ectionView view = CollectionViewSource.GetDefaultView(indResource (" photos "));	
Qı	ıest	ion # 269: In case of HTML page navigation, you must use the of "Navigate" that a URI.	
		Overload, rejects	
		IFrame, rejects	
		IFrame, accepts	
		Overload, accepts	
	4.	تم اچھا کرو زمانہ تم کو برا سمجھے یہ اس سے بہتر ہے کہ تم برا کرو اور زمانہ تم کو اچھا سم	

Question # 270: The Java programming language has a specific class for creating splash screens, called ______.


- Java.awt.start
- o Java.lang.splash
- Java.start.screen
- Java.awt.SplashScreen
 Click here for more detail

Question # 271: In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.

- o False
- o True
- o Null
- \circ 0

Question # 272: Which of the followings are keyboard events?

- Key entered, key exist
- Key strike, key release
- Key pressed, key released
- Key down, key up



Question # 273: To plug custom logic, you need to add a ______ to the element that will execute the command or any parent element.

- Execute command
- Helpcanexecute
- CommandBinding <u>Click here for more detail</u>
- RoutedUlCommand

To plug in custom logic, you need to add a CommandBinding to the element that will execute the command or any parent element (thanks to the bubbling behavior of routed commands).

Question # 274: A class that implements the 'lCommand' and supports 'bubbling' just like a routed event is known as _____.

- RoutedUlCommand
 PG # 129
- Canexecute
- Executed command
- CanexecuteChanged



عقل مند کہتا ہے میں کچھ نہیں جانتا جبکہ ہے وقوف کہتا ہے کہ میں سب کچھ جانتا ہوں

CS411 QUIZ # 4 2014 and 2015 From (32 to 42) Lectures

Question # 275: Which of the following is not true about task completion source?

- Provide exception handling facility
- Support result return facility
- Provide Continuation facility
- o it is executable thing PG # 175

Question # 276: HTML is called _____ layer.

- Physical
- Presentation
- Behavioral
- Structural PG # 195

HTML: structural layer and CSS: presentation layer and JS: behavioral layer.

ایماندار کو غصہ دیر سے آتا ہے اور جلدی دور ہو جاتا ہے

Ques	tion # 277: "JavaScript"is available in web browser.
0	Interpreter Click here for more Detail
0	Compiler
0	Linker
0	Conjunction
<mark>Java\$</mark>	Script is an interpreted language, not a compiled language
"Tas	tion # 278: The "Task Based Asynchronous pattern" method returns either a "Task" or a k <tresult>", based on whether the corresponding method returns "void" or a type esult".</tresult>
0	Callback
0	Return
0	Synchronous Click here for more Detail
0	Asynchronous
a Sys	TAP method returns either a System. Threading. Tasks. Task or stem. Threading. Tasks. Task < TResult >, based on whether the corresponding synchronous method ns void or a type TResult.
	دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکثہ چینی کرنا

Question # 279: Which of the following C# Method reports a progress change? **Finalize OnReport** Click here for more Detai GetType GetHashCode OnReport Reports a progress change. Question # 280: Threadpool is used to _ To make easy the process of thread creation To make easy debugging process To save time of thread creation **PG# 174** To avoid complexity Question # 281: Which of the following is not a part of "cancellation" task? The calling thread does forcibly end the task Click here for more Detail Notice and respond to the cancellation request in your user delegate Pass a cancellation token to your user delegate and optionally to the task instance 0 Create and start a cancelable task Create and start a cancelable task. Pass a cancellation token to your user delegate and optionally to the task instance. Notice and respond to the cancellation request in your user delegate. Optionally notice on the calling thread that the task was canceled جو لوگوں کے سامنے فخر کرتا ہے وہ لوگوں کی نظروں سے گر جاتا ہے Question # 282: DOM is a representation of data. Tree Graphical Object None of the given Question: DOM is a graphical or tree representation of data? Still confuse? **Instructor's Reply on MDB: No**, It is not graphical and not a tree representation of any module. It is a logical representation of API or any library. In simple words, it is a way to call a library into your programming. For example you called a print function so this function has its own structure with different type of parameters and calling it. You should follow that structure for the utilization of this function. Same like the case the implementation of Document object model it has a structure that you should follow i.e. table tag should be used in html tag. Question # 283: which of the following Object creates a cancellation token? OperationCanceledtoken **OperationCanceled** CancellationToken CancellationTokenSource PG#186 Question # 284: which of the following is not a "JQuery" filter? o Even o Odd Has Write PG#201 خوبصورتی علم و ادب سے ہوتی ہے لباس و حسن سے نہیں

		of the following "Event" property is used to show the "distance (in pixels)" of the left edge of the browser window?
0	pageY	
0	pageX	PG # 205
0	ScreenX	
0	ScreenY	
pag	at property eX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.
	tion # 286: "async" aming.	and keywords in C# are the heart of asynchronous
0	Return	
0	Await	Click here for more Detail
0	Wait	
0	String	
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Async and Await keep no programming.	eywords in Visual Basic and the <u>async</u> and <u>await</u> keywords in C# are the heart
or asy	ne programming.	
		- 41 000 1 00 00
	صحبت بہتر ہ	بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک

Question # 287: Mode of binding is opposite to OneWay r binding.		
C)	OneWay To source PG#165
C)	ГwoWay
C)	One Time
C)	Two Time
Que clicl		on # 288:Can add/remove/change "CSS" properties based on input or mouse
C)	#
C)	Query
C)	HTML
C)	None of the given option PG#196
<mark>JS c</mark>	<mark>aı</mark>	add/remove/change CSS properties based on input or mouse clicks.
Que	st	on # 289: "JavaScript" is scripting Language.
C)	nterpreter
C)	Browser
C)	Server
C)	<mark>Client</mark>
<u>_</u>	•	تم اچھا کرو زمانہ تم کو برا سمجھے یہ اس سے بہتر ہے کہ تم برا کرو اور زمانہ تم کو اچھا س

Ques	tion # 290:	solves "JavaScript" complexity and browser incompatibilities.
0	Jhtml	
0	RQuery	
0	JQuery	PG#195
0	J#	
Ques	tion # 291:	is more than one thing happening at the same time.
0	Cohesion	
0	Congruence	
0	Coherence	
0	Concurrency	PG#169
	سارے آور	معاشره برشهاراات سهرا
	ساب در جاق	معاشرہ پر تنہارااس سے بڑاا کوئی تبین ہو گاکہ تم خود سنہ


Question # 292: Which of the following "Event "properties is used with "key press event" to determine the numeric code for the key that was pressed? .

o Page X

○ Which	PG#205
---------	--------

- Shift Key
- o Target

pageX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.
shiftKey	Is true if the shift key is down when the event occurs.
which	Use with the keypress event to determine the numeric code for the key that was pressed (see tip, next).
target	The object that was the "target" of the event—for example, for a click() event, the element that was clicked.



Question # 293: Which of the following is correct way to temporarily stop execution of a thread object named as "myThread" for 500 milisec?		
o myThread.Sleep(0.50);		
o myThread.Stop(0.05);		
o myThread.Sleep(500);		
o myThread.Stop(500);		
Question # 294: HTML is a helper function.		
o RQuery		
o Browser		
o jQuery PG#201		
o JS		
Question # 295: Which of the following server(s) support "AJAX"?		
o Both SMTP and HTTP		
○ HTTP		
o www		
o <mark>SMTP</mark>		
جو محض بیرجا ہے کہ اس کی زندگی کا میابی ہے بسر جوو واسپتے یا پ		
کے بعدای کے دوستنوں نے تیک سلوک کرے۔ 111		
حضرت عبر فاروق		

Question # 296: Why we use "Alloc" message?

To create a class

To create an instance

- To extend functions
- To inherent methods

Question # 297: Objective – c introduces _____ messaging in c?

○ Smalltalk style PG# 217

- Short session
- o Group
- o New Style

Question # 298: Threadpool create and reduce real threads using hillclimbing algo to ______

○ To maximize CPU usage Pg#174

- To reduce the cost of thread creation
- o To maximize memory utilization
- o To minimize CPU usage

threadpool creates or reduces real threads using a hillclimbing algo to maximize cpu usage and reduce slicing.


سسى انسان كى خو بى كو پېچپانو س اور إسے بيان كرو، كيكن اگرىمى كى خامى ال جائے نؤيبال تنبيارى خو بى كاامتخان ہے۔ فرمان حضرت علیٰ Question # 299: Which of the following is not handled by the "Task Parallel Library (TPL)"?

- Partitioning of the work
- Progress report handling
 Click here for more detail
- Scheduling of threads
- Scales the degree of concurrency

The TPL scales the degree of concurrency dynamically to most efficiently use all the processors that are available. In addition, the TPL handles the partitioning of the work, the scheduling of threads on the ThreadPool.

Question # 300: "Callback" method is used to ______ the operation.

- Terminate
- o Pause
- o Invoke
- Revoke



Question # 301: Objective-C introduces messaging in C. Smalltalk style Page # 217 Short sessions Group New style Question #302: While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming. Multithreading programming Synchronous programming Parallel programming Click here for more detail **Asynchronous programming** You can avoid performance bottlenecks and enhance the overall responsiveness of your application by using asynchronous programming. However, traditional techniques for writing asynchronous applications can be complicated, making them difficult to write, debug, and maintain.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے


Question # 303: _____ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.

Combinators

- o None of the given
- Separators
- Modifiers

Question # 304: Which of these are defined as the model object?

- oUILabel *questionField;
- ○NSMutableArray *questions@field;
- ○NSMutableArray *questions;
- Question= 0;



Question # 305: Which of the following "Event" property is used to show the "distance (in pixels)" of the mouse pointer from top edge of the Monitor?

ScreenY PG#205

- o pageX
- o pageY
- o ScreenX

screen?' The distance (in pixels) of the mouse pointer from the top edge of the monitor.

Question # 306: What is "nil" like?

- Null Page # 217
- o zero
- o terminate
- o move to new line


nil is like null.

ستہری حروف اپنی سوچ کو پانی کے قطروں ہے بھی زیادہ شفاف رکھو کیوں کہ جس طرح قطروں ہے دریا بنتا ہے ای طرح سوچوں ہے ایمان بنتا ہے۔۔ (حضرے علی)

the n	stion # 307: Which of the following "Event" property is used to show the "distance (in pixels)" of mouse pointer from top edge of the browser window? pageY Page # 205
0	pageX
0	screenX
0	screenY
pag	The distance (in pixels) of the mouse pointer from the top edge of the browser window.
Ques	stion # 308: Observe the following piece of code taken out from Main() function: Thread
myT	Thread = new Thread (Go); myThread.Strat(); myThread.Join(); What will be the effect of
instr	uction myThread.Join()?
0	Execution of myThread will be joined with existing running threads
0	myThread will be executed after Main thread is completed
0	Main thread execution will be suspended till completion of myThread
0	Both Main thread and myThread can now share the data
Ques	stion # 309: What message is used to send to destroy the object?
	stop
	delete
	free
	release

Question # 310: What is NSMutableArray? Object **Class Reference** Page # 217 Method Group Question # 311: AJAX stands for Abstract JSON and XML Asynchronous JavaScript and XHtml Asynchronous JavaScript and XML Click here for more detail Abstract Java and XML Library Question # 312: What is the purpose of the following "JQuery" code? \$('#navbar a') o Find all the element whose name is navbar and then find a descendent a o Find all the element whose name is navbar and then find a ancestor a Find all the element whose ID is navbar and then find a descendent a o Find all the element whose ID is navbar and then find a ancestor a دنیا میں سب سے مشکل کام اپنی اصلاح اور سب سے آسان کام دوسروں پر نکثہ چینی کرنا ہے

Overtion # 212. The nairing of labels and anaryments is an immentant feature of
Question # 313: The pairing of labels and arguments is an important feature of
o C++
o Scripts
Objective-C page # 217
о РНР
Question # 314: Web servers receive request and responds as
○ Html only
o Plan Text only
o JSON only
 Html, plain text and JSON Page #211
web server: receives request and responds as HTML, plain text, XML, JSON. or application server for more complicated tasks. need web server for ajax examples.
Question # 315: Which of the following class supports data parallelism in "Task Parallel Library"?
oSystem.Threading.Tasks
oSystem.Task.Parallel
System.threading.Task.Parallel Click here for more detail
oSystem.Task.Threading.Parallel
Task Parallel Library (TPL) supports data parallelism through the System.Threading.Tasks.Parallel class.



Question # 318: which of the following response show file not found error?

O 404 Click here for more detail

- 0 500
- 0 200
- 0 304

Question #319: Interact with web page layout

- Java script
- o HTML
- o XML
- o DOM

Question # 320: which of the following technologies is not used in AJAX?

- o DOM
- o DHTML
- Flash <u>Click here for more detail</u>
- o Css

Ajax doesn't use flash technology. Technologies used by ajax: JavaScript Loosely typed scripting language JavaScript function is called when an event in a page occurs Glue for the whole AJAX operation DOM API for accessing and manipulating structured documents Represents the structure of XML and HTML documents CSS Allows for a clear separation of the presentation style from the content and may be changed programmatically by JavaScript XMLHttpRequest JavaScript object that performs asynchrous interaction with the server



FINAL TERM 2014 AND 2015 PAPER

Question #321: In Xaml browser application, how much isolated memory we can use?

- o 256 kb
- o 128 kb
- o 512 kb
- o 1024 kb

Question # 322: Which property will be used if we want to restrict the user to don"t increase the width of a WPF element from a specific amount?

- o MaxWidth Page # 91
- o MaximumWidth
- o WidthMaximum
- None of given options

Question #323: Which one is the correct syntax for declaring attribute?

Obsolete

page # 48

- {Obsolete}
- o (Obsolete)
- o *Obsolete

زندگی میں کامیابی کا یہی راز ہے کہ پریشانیوں سے پریشان مت بنو

Que	sti	ion # 324: In C#, comments are written using
0)	# and */ /*
0)	// and /* */ page # 18
0)	# and /*
0)	// and */ /*
_		ion # 325: An event that is raised whenever the value of "CanExecute" ges is known as
0)	CanExecute
0)	CanExecuteChanged
0)	Command
0)	Execute
		ion # 326: is an event that is introduced into an event processing em by an event producer.
0)	Event Producer
0)	Event Consumer
0)	Raw Event (Page # 14)
0)	Event Stream

جہوٹ رزق کو کہا جاتا ہے

		327: Whenever ar					the XAM	II L	
0	Mark	cup event, pro	perty						
0	Mark	<mark>cup</mark> property,	Event						
0	Liter	al string, Marl	kup extensio	n value					
0	Mar	kup extensi	on value, lit	eral stri	ng	page #	<mark>73</mark>		
Ques	stion # 3	328: HTML is ca	alled	la	yer.				
0	Phys	ical							
0	Prese	entation							
0	Beha	avioral							
0	Stru	ctural	PG #	195					
HTM	<mark>1L: str</mark>	uctural layer	and CSS: pre	<mark>esentation</mark>	layer a	<mark>nd JS: b</mark>	<mark>ehavior</mark>	<mark>al layer.</mark>	
Quest	tion # 329	9: CSS is called		layer.					
0	Physic	cal							
0	Prese	entation	PG # 195						
0	Behav	vioral							
0	Struc	tural							
HTM	L: struc	ctural layer and	CSS: presenta	<mark>tion layer a</mark>	nd JS: be	<mark>ehavioral l</mark>	<mark>ayer.</mark>		
ر ہے	، خامہ شہ	<i>فو</i> روفکر کی پېچان	ک کرنا ہے اور خ	عدان غور و ف	عقلمند کے یا	ئے ہے اور خ	، بیجان بو ت	حن کے ایک	ħ
		e 114 G- 7-333	33 E5 3	333 O 4 (1		33. <u>C.</u> G	ज ७ काक	* G 	<i>5</i> 7

Que	est	ion # 330: JS (JavaScript) is called layer.
C)	Physical
C)	Presentation
C)	Behavioral PG # 195
C)	Structural
HTI	M	L: structural layer and CSS: presentation layer and JS: behavioral layer.
Que	est	ion # 331: Shift key is true if the shift key is when the event occurs.
C)	Down PG # 205
C)	Up
C)	None of the given
C)	Move
		shiftKey Is true if the shift key is down when the event occurs.
Que	est	ion # 332: Which of the following response show internal server error?
C)	404
C)	Click here for more detail
C)	200
C)	304
	<u>_</u> 8	اپنی مرضی اور الله کی مرضی میں فرق کا نام غم

Question # 333: The original name of JavaScript was
o JavaScript
O LiveScript PG # 195
o wireScript
o none of the given
JS has nothing to do with Java, originally named LiveScript but renamed to associate with
the then hot Java.
Question # 334: One of the ways to create an instance of a class is
O System array
o Factory method
o Sequential heap
o XAML compiler
Question # 335: Which "transform" property can help us to flip the element from its center?
o ScaleY
o None of given options
o ScaleX
O RenderTransformOrigin PG # 126
جو شخص ناکامیوں سے ٹر کر بھاگتا ہے کامیابی اُس سے ٹر کر بھاگتی ہے

Question # 335: If we want that "Stretch" property of child element takes the available "height or width of Parent" and shape of child elements doesn't change, then we should write "Stretch = _____ PG # 109 Fill **Uniform**ToFill o Uniform Question # 336: When a button makes itself disabled, then the value of "Focusable" property is **False** Null True o None of the given options Question # 337: ManipulationCompleted gets raised after _ is raised for all fingers. TouchMove TonchUp TouchDown TouchRight سے انسان یا تو دل میں اتر جا تا ہے یا پھر دل سے اتر

Question # 338: CSS is a _____ language.

- o Object Oriented
- Structuring

Formatting

PG # 196

None of the given options

CSS is a formatting language

Question # 339: JavaScript code is written inside file having extension_____.

- o JSC
- o JS
- Javasript
- o JVS

Question # 340: Which of the following is TRUE about Object data providers?

- o This is useful for binding XML data
- o This is useful for binding objects which are designed for binding
- O This is useful for binding objects which are not designed for binding PG # 163
- o None of the given

Binding to a method is useful for classes that are not designed for data binding.



Question # 341: Which of the following is TRUE about IsAsync in context of data binding?

- o This is used to access the property of an object in background
- o This is used to access the property of an object in foreground
- o This is used to create data source object in background
- o This is used to create data source object in foreground


Question # 342: Refresh" is a predefined building command classified as:

- Navigation command
 PG # 129
- Media command
- o Application command
- o Editing command

NavigationCommands e.g. BrowseBack,BrowseForward, BrowseHome, BrowseStop, Favorites, FirstPage, GoToPage, LastPage, NextPage, PreviousPage, Refresh, Search, Zoom, and more.

Question # 343: Which of the following is NOT true about threads?

- o Threads are useful to handle simultaneous requests.
- O A program can have more than one thread NOT Confirm
- O Data cannot be share among the threads.
- o Each thread can proceed independently of other threads.



Question # 344: Which of the following is correct way to start execution of a thread object named as myThread?
o myThread.Go();
o myThread.Start();
o myThread.Begin();
o myThread.initialize ();
Question # 345: The best way to implement simple threading in Windows Forms programs is to use the class.
o BackgroundWorker Click here for more detail
o Windowsform
o Simplethreadworker
o None of the given
Question # 346: A child Window is just like any other top-level window: but it automatically gets closed when the parent is closed and minimized when the parent is minimized. Such a Window is sometimes called a
o Modeless Dialog PG # 133
o Inherited Window
o Super Window
o Sibling Window
Any number of child windows can be made by instantiating a Window dervied class and calling Show. Child window like parent window but gets closed when parent and similarly minimized, also called modeless dialog.

Qı	uest	tion # 347: In .Net, a task that does not return a value is represented by the
	0	System.Threading.Tasks.Task <tresult></tresult>
	0	System.Threading.Tasks.Task
	0	System.Threarding.Tasks.
	0	None of the given options
_		tion # 348: In TAP, progress is handled through an interface, which is passed to the hronous method a parameter.
	0	IProgress <t></t>
	0	Progress <t> (Action<t>)</t></t>
	0	Iprogress (T)
	0	Progress <t></t>
		e TAP, progress is handled through an IProgress <t> interface (described later in this document) d into the asynchronous method as a parameter named "progress".</t>
Qı	uest	tion # 349: In navigation Windows, the frames are more like a/an
	0	HTML frame Page #137
	0	.Net frame
	0	Java frame
	0	Image frame
N:	<mark>avi</mark> g	gationWindow more like a top-level window whereas Frame more like an HTML frame
	_	جهوث انسان اور ایمان دونوں کا دشمن ہے


Question # 350: _____keeps the navigation history in navigation based applications.

- Journal PG # 137
- o Frame
- Web browser
- o Web page

Question #351: URI stands for:

- o Universal Resource Identifier
- Uniform Resource Identifier
 Click here for more detail
- o Uniform Resource Identification
- o Universal Resource Identification

URL: In computing, a Uniform Resource Locator (URL) is a subset of the **Uniform Resource Identifier** (URI) that specifies where an identified resource is available and the mechanism for retrieving it. The URL shows you where you can find the database on the internet and which protocol you should use.



	ion # 352: In Objective-C, which of the following statements can be used to display something in nswer" field?
0	[answerField:answer];
0	[setTextanswer];
0	[answerFieldsetText:answer]; PG # 231
0	[setText answeranswerField]
<mark>// Dis</mark>	play it in the answer field
	verField setText:answer];
Quest	ion # 353: Which one of the following is used, if we want to add resources in Window?
0	<windowresources></windowresources>
0	<windowsresources></windowsresources>
0	<window.resources></window.resources> PG # 146
0	<windows.resources></windows.resources>
	ion # 354: If we assign an NSString to a possession for its possessionName, and then we release ring, it will be
0	Allocated
0	Decreased
0	Instance created
0	Destroyed Click here for more detail

Qι	Question # 355: Which of the following is used to set the view to default?				
	_	NSCoder			
	0	NSCoder			
	0	clearAll			
	0	IB PG # 243			
	0	Redraw			
us	e l	B to set the view to default			
Qu	esti	on # 356: In context of data binding, when we want to apply both sorting and grouping together then the rule is that			
	0	Grouping will be applied before sorting			
		Sorting will be applied before Grouping PG # 161			
	O	Softing will be applied before Grouping FG # 101			
	0	Both shall be applied different properties			
0	0	None of the given			
Qu	esti	on # 357: What is the word "Color" in given below code? UIColor" (^) (Line*,int anotherArg)			
	0	Return Type of Block			
	0	Notation to specify that it is a block			
	0	Name of Variable			
	0	Block Variable PG # 248			
_	_6	ایماندار کو غصب دیر سے آتا ہے اور جلدی دور ہو جاتا			

Quest	tion	# 358:helps us in provisioning ease of access to data source for data binding.
0	D	eata Provider
0	Ir	nterfaces
0	S	ource Cource Cou
0	D	ata Organizer
Quest	tion	# 359: What is the purpose of given below code? [self.viewaddSubview:imageView];
0	Т	o make sure that image is not scaled incorrectly
0	Т	o create the image View
0	Т	o set the image
0	A	dd the image to this View controllers PG # 254
		ne image to this view controller 's view */ v addSubview:imageView];
		# 360: What is the purpose of given below code?
NSSea	arch	*folders nPathForDirectoriesInDomains(NSDocumentDirectory, DomaianIask, YES);
0	G	et the document folder(s) PG # 255
0	С	reate the folder
0	G	et the first folder
0	A	dd the image to first folder
<mark>/* Ge</mark>	t th	e document folder(s) */

Question # 361: Which JQuery object is used with bind() function to pass data to an event handling function? o Target Bind Data **PG** # 177 Jobj A jQuery object used with the bind() function to pass data to an event data handling function (see page 177). Question # 362: Which of the following technologies is not used in AJAX? o DOM DHTML Click here for more detail **Flash** Css

Ajax doesn't use flash technology. Technologies used by ajax: JavaScript Loosely typed scripting language JavaScript function is called when an event in a page occurs Glue for the whole AJAX operation DOM API for accessing and manipulating structured documents Represents the structure of XML and HTML documents CSS Allows for a clear separation of the presentation style from the content and may be changed programmatically by JavaScript XMLHttpRequest JavaScript object that performs asynchrous interaction with the server

IMPORTANT EVENT PROPERTY AND DESCRIPTIONS:

Event property	Description
pageX	The distance (in pixels) of the mouse pointer from the left edge of the browser window.
pageY	The distance (in pixels) of the mouse pointer from the top edge of the browser window.
screenX	The distance (in pixels) of the mouse pointer from the left edge of the monitor.
screenY	The distance (in pixels) of the mouse pointer from the top edge of the monitor.
shiftKey	Is true if the shift key is down when the event occurs.
which	Use with the keypress event to determine the numeric code for the key that was pressed (see tip, next).
target	The object that was the "target" of the event-for example, for a click() event, the element that was clicked.
data	A jQuery object used with the bind() function to pass data to an event handling function (see page 177).

Note: If you found any mistake in Mcqz please mail at above mentioned email address. And tell me your answer with references.



Join our Facebook Group

CS101 - Introduction to Computing VU Group for All subjects



Winning is not everything, but wanting to win is everything.....
Go Ahead..... Best Of Luck!

J9333500007530,6960

please pray for me and I will pray for you too

THE END

Campus (AKMPO1)

ARSLAN ARSHAD
Arslan.arshad01@gmail.com